

INDUSTRIAL SEATING

DELUXE SWIVEL STOOLS

- These padded stools will provide workers with maximum comfort and support
- 360° swivel motion is ideal for workers who have repetitive side to side movement
- Seat easily adjusts to your selected height, just raise or lower the steel rod and lock securely in place
- 2" foam over a 1/2" plywood base and 1/2" foamed backrest
- All-welded frame constructed of 1" diameter 16-gauge steel
- 3/4" circular tube footrest
- Four leg cluster design has a 22" spread giving them optimum stability
- Black vinyl upholstery with a royal grey frame
- Optional casters available

OJ905 has an ergonomic self-skinned moulded polyurethane foam seat and back, features lumbar support, waterfall seat and 4 leg frame for superior comfort and durability.



Model No.	Adjustable Height"	Seat Dimensions"	Wt. lbs.
OJ905	25-31	19 x 17	33
FC670	25-31	19 x 17	33
FC675	Set of 4 Casters	-	2

SPECIALTY STOOLS

- Designed specifically for laboratories and medical offices
- 14" diameter, 3" high, vinyl covered seat
- Pneumatic mechanism to adjust the height
- Foot ring is standard on stools with a 23" - 33" adjustable height, optional on the other stools
- Optional casters or glides available

M MUR-VAN MANUFACTURING



Model No.	Fabric	Adjustable Height"	Wt. lbs.
CASTERS			
OC785	OC791	16 - 22	14
OC786	OC792	21 - 28	18
OC787	OC793	23 - 33	20
GLIDES			
OC788	-	16 - 22	14
OC789	-	21 - 28	18
OC790	OC796	23 - 33	20

OC819 (optional footing) for heights 16"-22" and 21"-28" only

STATIONARY & ADJUSTABLE HEIGHT STOOLS




- Ruggedly built for long lasting service in a warehouse factory or office
- All-welded frame is a 7/8" diameter steel tube
- Legs are braced with a 3/4" 18-gauge circular footrest for increased strength and stability
- 14" diameter embossed steel seat has a 1/8" tempered hardboard inlay
- **FC656** has a 14 1/2" x 15" sq. seat and is reinforced by steel bars

- All stools have four chrome floor glides that will not damage floors
- On the adjustable models the telescopic legs have screw locks that adjust on 1" increments
- Contoured back rest constructed of 19-gauge steel
- Colour: Royal grey

Model No.	Height"	Seat Dimensions"	Wt. lbs.
STATIONARY HEIGHT			
A. FC649	24	14	20
B. FC647	24	14	12
B. FC648	30	14	14
ADJUSTABLE HEIGHT			
C. FC653	25-33	14	12
D. FC655	25-33	14	20
E. FC656	18-26	14 1/2 x 15	18

SWIVEL STOOLS

- Seats made of 19-gauge embossed steel with 1/8" tempered hardboard inlay
- 1" diameter, 16-gauge steel frame all-welded tubing
- Circular 18-gauge footrest guarantees comfort and stability
- Heavy-duty rubber cushioned steel glides protect floors
- 1" x 14 1/2" long steel adjustment stem for easy height selection on all units
- 9 1/2" x 15 3/4" backrest is 4-way adjustable
- Optional casters available: **FC675**



Model No.	Adjustable Height"	Seat Dimensions"	Wt. lbs.
FC658	22-28	14	19
FC661	22-28	14	28
FC665	17-23	14 1/2 x 15	27
FC675	Set of 4 Casters	-	2

SIT/STAND STOOLS

- Sit/stand stools dramatically reduce fatigue for workers unable to sit down on the job
- Can be positioned for up close work
- **FC683** heavy gauge triangular glides provide safety, features a built-in footrest, a 15" wide x 13 7/8" high self skinning polyurethane seat mounted to an adjustable spring suspension frame that automatically tilts forward up to 15° while in use
- Removable seat attaches to frame with a double pin locking system which easily adjusts to 12 positions from 21" to 35"
- **FC685** features a sturdy, tip proof 5-leg base with a padded comfortable "Bicycle style" seat
- Pneumatic height adjustment from 23 1/2" to 33 1/2"

Model No. FC683 Manual Adjustment

Model No. FC685 Pneumatic Adjustment



INDUSTRIAL SEATING

INDUSTRIAL SEATING

- Features a full 8" of pneumatic lift while seated
- Exclusive extension tube provides an adjustable height range of 17" to 35"
- Seats and backs are microcellular self skinning polyurethane foam which inhibits punctures, tears and moisture absorption
- Large 26" diameter 5-leg steel base with 2 1/2" diameter glides ensure stability and safety even at the highest levels
- Large wide angle footrests make it easy to step up into seat

FC680

Features 22° back angle and 10° seat tilt adjustment w/double paddle handles.



FC681

Features 3" back rest height and 3" back rest depth adjustment. Assembly required.



HOW WAVE TUBE TECHNOLOGY WORKS

Step 1



Step 2



Step 3



Model No.	Dimensions"			Footrests
	Seat	Backrest		
FC680	18 1/2 x 17	15 3/4 x 9		3
FC681	16 1/4 x 16 1/4	14 1/2 x 9		1

STEEL BASE SWIVEL STOOLS

- 5" pneumatic lift of 25" to 30", for easy height adjustment
- 5 legs and an all welded steel base, gives optimum stability
- 16-gauge, 1" Dia. steel legs
- Full 360° rotation
- Colour: Powder coated black Santex
- Optional casters are available



OJ973



OJ974



OJ975

Model No.	Upholstery seat	Dimensions	Wt lbs.
OJ973	Vinyl & Foam Padded Seat & Back	19" x 17"	33
OJ974	Polyurethane Seat & Back	18" x 17"	33
OJ975	Premium Self Skinned Polyurethane Seat & Back	19" x 18"	35
OJ976	Optional Set of 5 Tile Casters (Includes Leg Insert Socket)		

B146

SHOPTECH ERGONOMIC INDUSTRIAL STOOLS



- Industrial seating that brings ergonomic comfort and productivity to the shop floor, the laboratory or the shipping office
- Durable, easy to clean, moulded polyurethane seating is the perfect solution for clean rooms or wipe down applications
- OE088 has an overall height of 16-21" with a 19" W x 14" D seat
- OE089 sit/stand stool has an overall height of 26-36", seat is 13 1/2" W x 9 1/2" D with a 6" W x 5" H back



OE088

OE089

Model No.	Description	Wt. lbs.
OE088	Stool	20
OE089	Sit/Stand	19

ERGONOMIC INDUSTRIAL SHOP SEATING



- Industrial chairs featuring comfortable and supportive seating that is easy to clean
- Seats made of a soft moulded polyurethane material, backs formed to support the body for greater comfort and less fatigue
- Pneumatic height adjustment of 15" to 20.5"
- 5-prong poly on steel base with dual wheel carpet casters
- Optional chrome foot ring adds 10" to height
- Glides recommended with foot ring
- OC816 and OC821 task chairs have adjustable backrest height, depth and angle
- Optional stool kit OC822



OC815



OC816

Model No.	Description	Wt. lbs.
-----------	-------------	----------

W/CASTERS

OC815	Operator's Chair	25
OC816	Task Chair	26.5
NH450	Operator's Chair w/Stool Kit	30
NH451	Task Chair w/Stool Kit	31.5

W/GLIDES

OC820	Operator's Chair	25
OC821	Task Chair	26.5
NH452	Operator's Chair w/Stool Kit	30
NH453	Task Chair w/Stool Kit	31.5

ERGONOMIC SEATING

- Designed specifically for the industrial work place, food industry, or any other application
- Provides workers with dynamic seating necessary for the maintenance of health and productivity
- Ergo stool offers a black self-skinned integral moulded polyurethane foam seat and back for durability and ease of maintenance
- Stool features proper lumbar support, swivel and water-fall seat and three pneumatic height adjustments



FC677

OD514

Model No.	Description	Adjustable Height"
-----------	-------------	--------------------

FC677	No footring	16 - 22
FC678	Footring	20 - 29
FC679	Footring	23 - 33

W/GLIDES

OD513	No footring	16 - 22
OD514	Footring	20 - 29
OD515	Footring	23 - 33



INDUSTRIAL SEATING

FOOTREST

- Fixed at a comfortable 8-degree angle to relieve muscle strain
- Removable 14-gauge platform has nine elevation positions which lock into place with a double locking pin
- Black powder coat paint finish and textured anti-slip covering on the platform
- Dimensions: 20" W x 13" D x 21" H

Model No. FC684



ECONOMY DRAFTING CHAIRS

- Pneumatic seat height control adjusts from 24" to 31"
- Manual back height and depth adjustment
- Chrome-plated adjustable footring
- Five-star nylon-reinforced base for strength and durability
- Back dimensions: 16" W x 9 1/2" H
- Seat dimensions: 18 3/4" W x 16 5/8" D

Model No.	Colour	Wt. lbs.
OE096	Black	25
OE097	Dark Grey	25



PNEUMATIC SWIVEL STOOLS

- 5" gas lift
- Height adjusts from 18" to 23"
- Black select fabric
- Weight: 10 lbs

Model No. OD846



- 10" gas lift
- Height adjusts from 23" to 33"
- Weight: 12 lbs

Model No. OD847

SCOOTER STOOL

- All-steel construction and soft rubber casters with ball bearing movement allow the Scooter stool to give rugged and versatile service
- Tray shelf for tools or papers
- Capacity: 300 lbs.
- Shipped knocked down
- Ten year warranty



Model No.	Tray Diameter"	Seat Diameter"	Height"	Wt. lbs.
OE848	15	13	14 1/2	10



1405 & 1410 PREMIUM SERIES CHAIRS

- Task and operator chair
- Moulded foam cushions
- "One-touch" ergonomic chair controls
- Gas lift height adjustment
- Back height and depth adjustment
- Seat and back angle adjustment on 1410 Series
- Optional arms and stool kit available
- Dual wheel carpet casters



Model No.		Description	Seat Dimensions			Back Dimensions	
Black	Grey		W"	D"	H"	W"	H"
OE744	OE745	1405 Series Chair	17 1/2	x 18	x 17-22 1/2	16 1/4	x 14
OE746	OE747	1405 Series w/Stool Kit	17 1/2	x 18	x 22-27	16 1/4	x 14
OE748	OE749	1410 Series Multi Functional	17 1/2	x 18 1/2	x 18-23 1/4	17 1/2	x 15



TASK CHAIRS & ECONOMICAL STENO CHAIRS

- Pneumatic height adjustments
- Backrest height adjustments
- Five prong poly on steel base
- Dual wheel carpet casters
- Stool kit available
- Optional arms
- Optional glides (recommended with stool kit)



Model No.		Description	Seat Dimensions			Back Dimensions		Wt. lbs.
Black	Grey		W"	D"	H"	W"	H"	
ECONOMICAL STENO CHAIRS								
OC310	OC309	w/o Arms	18	x 17	x 17-22	16 1/2	x 11 1/2	30
OC312	OC311	w/Fixed Arms	18	x 17	x 17-22	16 1/2	x 11 1/2	32
OE093	OE092	w/Stool Kit	18	x 17	x 22-27	16 1/2	x 11 1/2	35
TASK CHAIRS								
OE095	OE094	w/Stool Kit	18	x 17	x 24-30	16 1/2	x 13 1/2	35



OPTIONS FOR CHAIRS

Model No. OA271
Loop Arm Kit
(width adjustable)

Model No. OD848
Fixed Arms

Model No. OC323
T-Arm Kit (width & height adjustable)

Model No. OA269
Stool Kit

Model No. OC822
Chrome Foot Ring



OFFICE SEATING

SUPPORTECH ERGONOMIC CHAIRS

- Multi-tilt control for custom adjustment
- Gas lift height adjustment
- Tension adjustable swivel/tilt with locking free float
- Height adjustable contoured backrest
- 5-prong plastic (glass reinforced) base
- Dual wheel carpet casters
- Seat dimensions: 20" W x 18 1/2" D x 19-24" H
- Back dimensions: 19" W x 21" H
- Available in additional colours



Optional height adjustable arms

Model No.		Description
Black	Grey	
OC359	OC360	Chairs
OE639	-	Optional Arms



DRAFTING STOOLS

- Designed with a contoured seat and back
- 3-way back adjustment provides user comfort
- Seat and back are made with a solid 3/4" plywood frame and fastened together with T nuts
- Standard 100% polypropylene black fabric upholstery
- One piece durable plastic base with chrome footrest
- Two pneumatic gas levers simplify height adjustment from 24 1/2" to 30" and ergonomic tilt
- With casters

Model No. OA286



PREMIUM SERIES MULTI-FUNCTION OPERATOR CHAIRS

- Heavy-duty multi-tilt mechanism with tension adjustable infinite tilt
- Forward tilt with lockout option
- Independent back angle adjustment
- Ratchet backrest height adjustment
- Heavy-duty steel base with plastic cover
- Injection moulded foam cushions
- Pneumatic gas lift height adjustment: 18"- 23"
- Seat dimensions: 18" W x 18" D x 18-23" H
- Back dimensions: 17" W x 21" H
- Dual wheel carpet casters included
- Available in additional colours



Model No.		
Black	Grey	Description
OF195	OF194	Operator Chair
OF191	OF190	Operator Chair w/T-Arms
OF183	OF182	Operator Chair w/Loop-Arms

w/Adjustable T-arms



Standard

w/Loop arms



POLYPROPYLENE STACKING CHAIRS

- Made of one-piece moulded polypropylene shell and sturdy chrome frame
- Available in 6 standard colours



Model No.					
Black	Blue	Beige	Brown	Green	Grey
OA275	OA279	OA285	OA268	OD215	OA272

BIRCH PLYWOOD STACKING CHAIRS

- Assembled to a beige enamel steel frame
- Seat and back are 1/4" thick overall

Model No. OA282



PLASTIC SEAT SWIVEL STOOL

- Made of 1" diameter 16-gauge tubular steel base
- Sturdy plastic seat
- Seat is manually adjustable from 22" to 28" high; just raise or lower the steel rod and lock securely in place
- 360° swivel
- Colour: black seat with grey epoxy base

Model No. OA241



UPHOLSTERED STACKING CHAIRS

- Easy to stack for compact storage
- Vinyl covering over a chrome frame protects against water and mildew



OA278

OA274

Model No.		
Black	Blue	Description
OA278	OA886	w/o Arms
OA274	OA852	w/Black Plastic Arm Rests

PLASTIC CHAIRS

- Incredibly strong and durable thermoplastic shell which assures correct posture and provides maximum comfort for sustained periods of sitting
- Arched back with sculptured cut-out provides excellent ventilation
- Heavy-duty welded, unitized chassis designed to enable stacking yet avoids protruding legs
- Legs made of 16-gauge tubular steel
- Heavy 14-gauge channel cross braces provide anchor points for the shell
- Frame is black



Model No.				Seat Height"
Blue	Grey	Black	Green	
OD925	OD929	OD933	OD937	18

ORGANIZERS/MAILROOM EQUIPMENT

ALL STEEL BOOKCASES

- Shipped assembled ready to use
- Heavy gauge shelves are adjustable on 2" increments allowing numerous configurations



Model No.			Dimensions					No. of	Wt.
Black	Grey	Putty	W"	x	D"	x	H"	Openings	lbs.
OA487	OA488	OA489	36	x	13	x	29	2	46
OA490	OA491	OA486	36	x	13	x	40	3	58
OA484	OA485	OA037	36	x	13	x	52 1/2	4	76
OA492	OA493	OA034	36	x	13	x	66	5	89
OA036	OA481	OA483	36	x	13	x	78	6	102

HOOK & LOOP FASTENERS

- Used as an alternative to zippers, screws, snaps, and bolts
- One nylon strip consists of tiny hooks and another consists of soft pliable loops
- Simply press together to fasten and pull apart to open
- Applications include the apparel, furniture, packaging and printing industries



Hook		Loop		Width"	Length yds
White	Black	White	Black		
PEEL & STICK (ADHESIVE BACKED)					
OC500	OC501	OC502	OC503	1	10
OC504	OC505	OC506	OC507	1	25

DATA ORGANIZERS



- Horizontal literature racks
- All racks easily bolt together with fasteners provided
- Steel modular, horizontal racks that can be grouped for floor or table mounted storage
- Capacity for literature or directories up to three inches thick
- 8" legs (CA159) available to raise unit off the floor
- Tan enamel finish
- Includes: Mounting clips

Can be stacked for personalised use!



Specifications	Model OA157	Model OA168
Height "	10 3/4	14 1/4
Width "	33 3/4	33 3/4
Depth "	11 5/8	11 5/8
Opening Width "	11	11
Opening Depth "	11 1/2	11 1/2
Opening Height "	3	3
No. of Openings	9	12
Paper Width "	8 1/2	8 1/2

VALUE SORTERS®

- Economical yet sturdy steel/corrugated construction
- All steel exterior and support shelves
- Wide shelf fronts have label holders for easy identification of contents (labels included)
- Quick-lock design for easy assembly without tools
- Letter size compartments: 9 3/4" W x 12 1/2" D x 2 1/2" H

Model No.		No. of	Overall Dimensions					Wt.
Black	Grey	Comp.	W"	x	D"	x	H"	lbs.
OA135	OA132	24	32 1/4	x	13 1/2	x	25 3/4	26
OA129	OA126	36	32 1/4	x	13 1/2	x	38	36
OA139	OA141	72	32 1/4	x	13 1/2	x	75	61



COMPUTER CABINETS

ALL-WELDED DESK TOP CABINET

- Locking slide-in pocket doors with inner compartments for storage of files or manuals
- Pull out keyboard shelf • Sliding tray may be used for mouse pad or as a writing surface
- Vented back for air circulation • Finish baked enamel blue and grey
- Ships fully assembled

Model No. **OC533**

OPEN PEDESTAL STAND

- 32" high, designed to support the desk top unit for stand-up operation
- Blue-baked enamel finish
- Includes: Convenient storage shelf and adjustable leg levellers for uneven work surfaces
- Shipped knocked down

Model No. **OC534**

ENCLOSED PEDESTAL STAND/PRINTER STAND

- Roll in/roll out hideaway printer stand which locks inside the enclosure when not in use
- Printer stand has two adjustable shelves as well as one bottom 28" W x 25" D shelf for printers or paper
- 30" high enclosure may be oriented for left or right hand access
- Blue and grey baked enamel finish
- Shipped knocked down

Model No. **OC535**



Model No.	Description	Dimensions				Wt. lbs.
		W"	x	D"	x H"	
OC533	Desktop Upper Computer Cabinet Only	30	x	27 3/4	x 30	122
OC534	Computer Cabinet Open Pedestal Stand Only	30	x	27 3/4	x 32	66
OC535	Computer Cabinet Enclosed Stand W/Printer Stand	30	x	27 3/4	x 33	142

MOBILE COMPUTER CABINET

- All-steel welded construction
- Top monitor compartment is 22 1/2" W x 23" D x 18 3/4" H with a slide-out keyboard shelf
- Locks independently of bottom section which includes 2 adjustable shelves
- 5" polyolefin casters (2 rigid, 2 swivel w/brake)
- Total dimensions: 26" W x 24" D x 64" H
- Weight: 149 lbs.
- Finish durable baked enamel blue and light grey
- Includes: Vented back for air circulation and a 6-outlet power strip with built-in surge suppression
- Shipped fully assembled

Model No. **OC532**



MOBILE COMPUTER CABINET

- All-steel construction
- Slide-out keyboard tray
- Lower lockable cabinet is 24 5/8" W x 22 7/8" D x 22 5/8" H
- Two-position shelf can be located for desk top style or up to 18" H tower style CPU's
- Fixed shelf is 24 5/8" W x 22 7/8" D x 11 1/2" H and provides ample room for any sheet fed style or continuous form style printer
- Rear cabinet access holes for paper feed, cables and ventilation fan (not included)
- 5" polyolefin casters (2 rigid, 2 swivel w/brake)
- Total dimensions: 27" W x 24" D x 49 1/4" H
- Weight: 125 lbs.
- Colour: Blue
- Shipped knocked down, assembly required with simple hand tools

Model No. **OC839**



MOBILE SECURITY COMPUTER CABINET

- Secure locking cabinet with resistant acrylic see-thru window for LCD monitor
- Slide-out locking keyboard is 19 3/4" W x 17 1/2" D x 4" H
- Lower compartment is 20 1/2" W x 21" D x 23 1/2" H and has a locking front and rear access doors
- Two convenient side wing shelves for additional work space, fold down when not required
- 5" heavy-duty casters (2 rigid, 2 swivel w/brake)
- Overall dimensions: 24 1/2" W x 22 1/2" D x 62 1/4" H
- Powder coated finish provides a durable finish

Model No.	Colour
OG880	Blue
OG881	Putty
OG882	Light Grey
OG883	Black



COMPUTER CABINETS

- A unique two-piece heavy-duty all-welded steel construction that provides space efficient security for your valuable electronic equipment
- Locking upper compartment with plexiglass window provides viewable access for most 20" monitors
- Lower compartment features one fixed bottom and one adjustable shelf
- Top level can be bolted onto a desk (bolts not included)
- Louvers in the rear provide equipment ventilation
- Heavy-duty all-welded steel top and bottom sections bolt together for easy assembly
- Includes: 5" casters (2 rigid, 2 swivel w/brake)



Model No.	Description	Dimensions				Colour
		W"	x	D"	x H"	
OE824	Complete computer enclosure w/casters	24 1/2	x	22 1/2	x 59 1/2	Light Grey
OE825	Complete computer enclosure w/casters	24 1/2	x	22 1/2	x 59 1/2	Putty
OE826	Top level (internal)	20 3/4	x	21 3/4	x 19 1/4	Light Grey
OE827	Top level (internal)	20 3/4	x	21 3/4	x 19 1/4	Putty

LITERATURE STORAGE RACKS

LITERATURE STORAGE RACKS



Optional legs to permit free standing as illustrated are available for all literature Racks.

- Constructed of sturdy heavy gauge steel
- Provide a convenient and compact way to store literature
- Most models accommodate 150 standard 8 1/2" x 11" sheets, while others are wider to hold magazines and special forms




OA163

OC543

OA148

ROTATING LITERATURE RACKS



OC547

OC549

OC553

Putty	Model No.			Overall Dimensions				Openings			Paper Width"	No. of Pockets	Wt. lbs.			
	Grey	Tan	Black	W"	x	D"	x	H"	W"	x				D"	x	H"
OC540	OA152	OA130	OC536	9 3/4	x	4 1/8	x	65 1/2	8 5/8	x	3/4	x	8 1/2	8 1/2	23	32
OC559	OA166	OA156	OA607	13 1/8	x	4 1/8	x	58 1/2	12 1/8	x	1	x	8 3/4	12	20	38
OC541	OA161	OA155	OC537	9 3/4	x	4 1/8	x	36	8 5/8	x	3/4	x	8 1/2	8 1/2	11	18
OC558	OA148	OA162	OA125	13 1/4	x	4 1/8	x	36	12 1/8	x	1	x	8 3/4	12	11	24
OC543	OA169	OA165	OC539	9 3/4	x	4 1/8	x	21	8 5/8	x	3/4	x	8 1/2	8 1/2	5	9
OC557	OA163	OA144	OA609	13 1/8	x	2	x	26 1/4	12 1/8	x	5/16	x	5 5/8	12	10	13
OC545	OA171	OA624	OC544	Optional legs for 9 3/4" wide models (sold in pairs)												
OC556	OA164	OA167	OC555	Optional legs for 13 1/8" wide models (sold in pairs)												
ROTATING LITERATURE RACKS																
OC553	OA149	OA179	OC552	14 1/8	x	14 1/8	x	66	8 5/8	x	3/4	x	8 1/2	8 1/2	92	136
OC549	OA134	OA158	OC548	14 1/8	x	14 1/8	4x	8 1/2	8 5/8	x	3/4	x	8 1/2	8 1/2	44	92
OC547	OA145	OA128	OC546	14 1/8	x	14 1/8	x	21 1/4	8 5/8	x	3/4	x	8 1/2	8 1/2	20	47

WIRE LITERATURE DISPLAY RACKS

- Welded wire construction
- Open wire construction keeps material organized, clean and easy to see
- Full-view front displays literature, magazines or forms for fast selection
- Generous 8 3/4" W x 1" D compartment size is ideal for 8 1/2" x 11" material
- Charcoal powder coat finish

PANEL/WALL DISPLAY

- Combine multiple racks to create larger displays
- Mounts on a wall or panel (up to 3 1/4" thick); both mounting brackets are included
- Panel hanger is adjustable in 3" increments
- Interlocking design for quick assembly

Model No. OE630

FREE-STANDING FLOOR DISPLAY

- Fast, fold-out set-up for instant literature display

Model No. OE631

ROTARY FLOOR DISPLAY

- Each layer rotates independently for easy selection
- Five dual wheel casters (2 locking)
- Compact knock-down design, ideal for trade shows

Model No. OE632 Magazine Display

Model No. OE807 Brochure Display



OE630

OE631


OE632

Model No.	Number of Compartments	Dimensions				Wt. lbs.	
		W"	x	D"	x		H"
OE630	3	9	x	5 1/2	x	43	16
OE631	9	28 1/2	x	11	x	45 3/4	14
OE632	16	15	x	15	x	59	20
OE807	32	15	x	15	x	60	24

FILING SYSTEMS

CORRUGATED ROLL FILES

- Safe storage of charts and blueprints
- Corrugated fibreboard shell with reinforced steel frame for added strength
- Square tube compartments allow easy insertion and removal of contents
- Dust-resistant door with metal latch keeps materials clean
- Index grid for easy identification of contents
- Cabinets are 15 3/4" square; depth is 3/4" more than tube length shown below
- Colour: Tropic sand



Model No.	Tubes	Tube Size"	Tube Length"	Wt. lbs.
OA676	16	3 3/4	25	12
OA211	16	3 3/4	37	15
OA656	16	3 3/4	43	17

MOBILE ROLL FILES

- The ideal form of active filing for engineers, draftsmen, surveyors and designers
- Materials store upright in square fibreboard tubes; grandstand design allows different size rolls to be stored in one file
- Sturdy, wood-core construction with laminate beige vinyl covering
- Swivel casters
- Shipped knocked down



Model No.	Tube Size"	No. of Tubes	Overall Dimensions			Wt lbs.
			W"	x D"	x H"	
OA655	3 3/4 x 3 3/8	12	15 1/4	x 13 1/4	x 23 1/2	21
OA677	3 3/4 x 3 3/4	21	30 1/8	x 15 3/4	x 29 1/8	52
OA673	2 3/4 x 2 3/4	20	15 1/4	x 13 1/4	x 23 1/2	22
OA207	2 3/4 x 2 3/4	50	30 1/8	x 15 3/4	x 29 1/8	53
OE131	7 x 7	8	30 1/8	x 15 3/4	x 29 1/8	46

VERTICAL FILING SYSTEMS

Ideal for filing blueprints, charts, artwork and other oversized documents. Cuts filing and retrieving time; saves on floor space. Exclusive suspension system allows clamps to slip easily in and out of storage racks. Clamps open to 1" to hold up to 100 individual sheets (20 lbs. maximum weight per clamp).

MOBILE VERTICAL FILE

- All-steel construction with four ball bearing swivel casters (2 lock)
- Fits 24" to 36" clamps (order separately)
- Holds up to 12 clamps that simply drop in and lift out
- Maximum capacity is 1200 sheets or 240 lbs.
- Compact economy
- Width adjusts from 27 1/2" to 39 1/4"
- Depth is 16" overall
- Height adjusts from 40" to 52"
- Easy assembly
- Weight: 25 lbs.

Model No. OE130



HEAVY-DUTY MOBILE STAND

- Steel construction with four 3" ball bearing swivel casters (2 lock)
- Holds 12 hanging clamps in pivot brackets that swing open for easy access to contents
- Height adjusts from 43 5/8" to 61 5/8" for sheets up to 54" long
- 27" overall width
- Base extends 27 1/2" to 37 1/2"
- Tropic sand finish
- Assembly required



Model No.	Description	Wt. lbs.
OE129	Mobile Stand Only	47
OA195	Mobile Stand c/w 12 24" Clamps	61
OA196	Mobile Stand c/w 12 30" Clamps	63
OA213	Mobile Stand c/w 12 36" Clamps	65
OA197	Mobile Stand c/w 12 42" Clamps	67

PIVOT WALL RACKS

- Steel construction
- Mounts directly to wall for space saving storage
- 12 pivot clamps hold any length sheet depending on mounting height
- Dimensions: 24" W x 9 1/2" H
- Includes: Mounting hardware



Model No.	Description	Wt. lbs.
OA192	Pivot Wall Rack c/w 12 24" Clamps	31
OA193	Pivot Wall Rack c/w 12 30" Clamps	33
OA208	Pivot Wall Rack c/w 12 36" Clamps	35
OA214	Pivot Wall Rack c/w 12 42" Clamps	37
OA216	Wall Rack Only	6
OA663	Pivot Brackets 12/pkg	10

PRINT-LOCK® HANGING CLAMPS



- Clamps hold up to 100 sheets or 20 lbs.
- Green plastic label holders included
- Available in natural aluminum with polished chrome plated cast alloy wing knobs and black end caps



Model No.	Description	Clamp/Pkg.	Wt. lbs.
OE135	18" Long Hanging	6	6
OE136	24" Long Hanging	6	7
OE137	30" Long Hanging	6	8
OE138	36" Long Hanging	6	9
OE139	42" Long Hanging	6	10

FILING SYSTEMS

STEEL PLAN FILES

- Welded steel construction, wrap around corners and sturdy inner frame
- Front supports add stacking strength
- Files are modular so they can be used individually or in a space saving stack
- Stack up to five high on a closed base
- Reinforced top offers additional work and storage space
- 5 and 10-drawer files can be mixed or matched for customized high volume storage
- Choice of 6" closed base or 20" high base
- Baked enamel finish in Tropic Sand, White, Grey or Black
- All flat files have museum/archival quality point finish



5-DRAWER

- Versatile file stores up to 500 sheets per unit active filing, 750 sheets of semi-active, or 1,000 sheets of inactive material
- Five large capacity 2" deep drawers in three cabinet sizes



Optional closed base not included

10-DRAWER

- Ideal for high traffic project storage areas
- Ten 1" deep drawers allow the easiest retrieval of materials from the file and minimize material damage

Model No.				Description	Inside Drawer Dimensions			Cabinet Dimensions			Wt. lbs.
Black	Grey	Tropic Sand	White		W"	x D"	x H"	W"	x D"	x H"	
OB144	OB146	OA651	OB145	5 Drawer	37	x 26	x 2 1/8	40 3/8	x 29 3/8	x 16 1/2	177
OB147	OB148	OA186	OB149	5 Drawer	43	x 32	x 2 1/8	46 3/8	x 35 3/8	x 16 1/2	222
OB150	OB151	OA220	OB152	5 Drawer	50	x 38	x 2 1/8	53 3/8	x 41 3/8	x 16 1/2	267
OB157	OB158	OA189	OB159	10 Drawer	43	x 32	x 1 1/8	46 3/8	x 35 3/8	x 16 1/2	307

OPTIONAL LOCKS: OG362 - 5 drawer units OG363 - 10 drawer units

GIANT STACKING TRAYS

- Create durable and efficient flat filing at a fraction of the cost of other systems
- Easily accommodates most prints, artwork and drawings
- Constructed of steel reinforced, high density polyethylene
- Opposing direction stackability allows access from two sides
- Optional wood-core vinyl laminate tops have a light oak finish
- Stackable up to 5' high
- Capacity: 40 lbs. per tray
- 2 per pkg.



Use with existing filing systems for extra storage space.



OA667

OA650



Model No.	Inside Dimensions			Outside Dimensions			Qty /Carton	Wt. /Carton lbs.
	W"	x D"	x H"	W"	x D"	x H"		
OA667	36 3/8	x 24 1/4	x 2	39	x 26	x 3	2	23
OA215	42 1/2	x 32 1/2	x 2	45 1/4	x 34	x 3	2	32
OA650	Top for OA667			39	x 26	x 3/4	-	25
OA668	Top for OA215			45 1/4	x 34	x 3/4	-	43

VERTICAL FILES W/RECESSED DRAWER HANDLES

- High side walls accommodate hanging files and eliminate the need for hanging file frames
- Removable cam lock included
- Full cradle suspension
- Easy-to-grab recessed pull
- Fully adjustable and removable follower block is standard in every drawer
- Legal size: 18" W x 26 9/16" D



LATERAL FILES

- Professional quality, all-welded construction
- Patented heavy gauge all-metal anti-tip system
- Reinforcing cross member on all 4 and 5 drawer files
- Locking mechanism with "no plastic parts" locks all drawers
- Drawers rest on heavy gauge, triple extension progressive arms containing 80 steel ball bearings per pair
- Dimensions: 36" W x 18" D
- Cabinets with receding doors available
- Other colours also available



Black	Model No.		No of drawers	Height"	Wt. lbs
	Grey	Putty			
OTE611	OTE612	OTE613	2	29	70
OTE618	OTE619	OTE620	3	40	104
OTE624	OTE625	OTE626	4	52	128

Model No.			Description	Height"	Wt. lbs.
Black	Beige	Grey			
OE738	OE739	OF205	2 Drawers	28	100
OE740	OE741	OF208	3 Drawers	40	137
OE723	OE724	OF206	4 Drawers	53 1/2	178
OE742	OE743	OF207	5 Drawers	65 1/2	217

OFFICE STORAGE PRODUCTS

RECORD STORAGE SYSTEMS

- Efficiently organize and store all your records in a single information retrieval centre
- Record management is facilitated with easy to identify printed storage boxes
- Heavy gauge all-steel structure and warp free particleboard deck provide maximum strength
- Easy to install with snap together shelf beams, no nuts and bolts
- Storage boxes constructed of white corrugated fibreboard, with handles, making it a durable and easily manoeuvrable box, a perfect choice for economical storage
- Order complete units – including shelving, deck and boxes (OA081), or shelving with deck only
- Colour: Industrial grey



Model No.	No. of Shelves	Dimensions				No. of Boxes
		L"	W"	x	H"	
COMPLETE UNITS (INCLUDES SHELVING, DECK & BOXES)						
RL116	3	69	x 16 15/16	x	60	30
RL117	3	69	x 32 7/8	x	60	60
RL118	4	69	x 16 15/16	x	84	40
RL119	4	69	x 32 7/8	x	84	80
RL120	3	42	x 16 15/16	x	60	18
RL121	3	42	x 32 7/8	x	60	36
RL122	4	42	x 16 15/16	x	84	24
RL123	4	42	x 32 7/8	x	84	48
SHELVING & DECK ONLY (NO BOXES)						
RL108	3	69	x 16 15/16	x	60	-
RL109	3	69	x 32 7/8	x	60	-
RL110	4	69	x 16 15/16	x	84	-
RL111	4	69	x 32 7/8	x	84	-
RL112	3	42	x 16 15/16	x	60	-
RL113	3	42	x 32 7/8	x	60	-
RL114	4	42	x 16 15/16	x	84	-
RL115	4	42	x 32 7/8	x	84	-

ECONO/STOR® BOXES

- The perfect choice for economical storage of semi-active or dead records
- White corrugated fibreboard construction features smooth rolled edges that provide a clean finish and avoid paper cuts
- OA081 can be adapted to hold up to one cubic foot of legal or letter size



Model No.	Record Size	Inside Drawer Dimensions				Qty /Carton	
		W"	x	D"	x	H"	
OA082	Letter	12	x	24	x	10	12
OA079	Legal	15	x	24	x	10	12
OA081	Letter or Legal	12	x	15	x	10	25

CORKBOARDS

- These natural cork boards are ideal for the office or warehouse
- Natural aluminum frame; square corners



Model No.	Dimensions"	Wt. lbs.
OA030	18 x 24	3
OA025	24 x 36	6
OA026	36 x 48	12
OA028	48 x 72	23
OA022	48 x 96	30

ACCESSORIES

Model No.	Description	Qty/Pkg.
OC387	Plastic Head Push Pin	100
OC388	Thumbtacks, Assorted Colours	100

FOLDING TABLES

- 5/8" thick tops
- Durable walnut colour plastic laminate finish
- Folding legs and perimeter metal frame constructed of 16 gauge brown enamel steel
- Table height: 29"



OA304

Model No.	Top Dim. L" x W"
OA306	60 x 30
OA305	72 x 30
OA302	96 x 30
OA948	72 x 36
OA946	96 x 36
OA304	60" Diameter



OA306

WHITEBOARDS

- Clean, colourful marker boards get attention fast
- Non-magnetic, white writing surface wipes clean with cloth, felt brush or tissue; dustless, effortless erasing
- Natural aluminum frame
- Square corners

Model No.	Dimensions"	Wt. lbs.
OA029	18 x 24	3.5
OA021	24 x 36	7.0
OA027	36 x 48	12.5
OA023	48 x 72	23
OA024	48 x 96	30



WHITEBOARD MARKERS

- Expo® dry erase markers allow for vivid and expressive communication on practically any whiteboard
- Marks with a smooth, consistent line that retains its colour and erases easily with a dry cloth or eraser
- Available in four individual colours or a four and eight marker set

Model No.	Description
OG465	Red
OG475	Blue
OD175	Green
OD177	Black
OD178	Set of four (Red, Blue, Green, Black)
OD179	Set of eight (Red, Blue, Green, Black, Yellow, Orange, Brown, Purple)



MAGNETIC BOARD

- White painted steel
- Aluminum frame

Model No.	Dimensions"
OG087	24 x 36
OG088	36 x 48
OG089	48 x 72



WORK TABLES

- Walnut finish laminated top with 1 1/4" square chrome legs
- 1 1/8" metal skirt all around for stability
- Overall height: 30"

Model No.	Top Dim. L" x W"	Wt. lbs.
OA928	60 x 24	80
OA307	48 x 30	52
OA308	60 x 30	64
OA941	72 x 30	76
OA926	72 x 36	90
OA934	96 x 36	122



OA928

WATER COOLERS

INDUSTRIAL WATER COOLERS

- Heavy-duty blow moulded resin resists chips and dents in the toughest work area or job site
- Injection grade insulated liner material keeps your water or beverage cold
- Leak-resistant screw on lid
- Drip-resistant spigot
- Sturdy moulded-in handles on the 10 gallon
- Universal cup dispenser is available for 3 gallons and up, holds 200 cups




Model No.	Mfg. No.	Description	Wt. lbs.
NI653	1683-01-11	3 Gallons	5.4
NI654	1685-01-11	5 Gallons	7.5
NI655	1785-01-11	5 Gallons/w Dispenser	7.5
NI656	1610-01-11	10 Gallons	10.9
NI657	8257-UN-92	Universal Cup Dispenser	0.82

DRINKING WATER FILTER FOR OASIS® COOLERS

- Removes dirt, cloudiness, particles, unpleasant odours and taste
- Reduces chlorine by 97%, lead between 95.9% and 99% and cryptosporidium and giardia cysts by 99.99%
- Works with all the Oasis® water coolers listed on this page
- Includes brackets, complete filter and colour coded waterline connections
- Fast and easy-to-change refill cartridges with automatic shut-off valve inside the filter
- Designed to last 1,500 gallons or approximately six months

Model No. OG445 Filter

Model No. OG446 Refill cartridge



OASIS WATER COOLERS

Oasis® water coolers are manufactured with a heavy gauge steel frame which provides durable and quiet operation. They feature a 5-year limited warranty on the sealed refrigeration system and most component parts. All waterways are constructed of lead free materials and HFC 134A is used as a refrigerant. No CFCs are used. All units are standard tan sandstone finish. Drinking water temperature is 50°F/10°C. Certified for sale in Canada by an accredited certification body



WALL-MOUNTED COOLERS

These units come in standard or compact models. All units are shipped with complete instructions and wall mounting bracket. Units should be installed with the nozzle 36 inches from the floor.

Model No.	Description	GPH Capacity	Dimensions				Wt. lbs.	
			W"	x	H"	x		D"
OJ952	Compact	4	17	x	16	x	13 3/16	51
OA061	Standard	8	17	x	14	x	29 7/8	73
OA536	Standard	14	17	x	14	x	29 7/8	76



OA061

FREE-STANDING COOLERS

COMPACT FREE STANDING

Attractive economical line suitable for applications in offices, shops or factories where space saving is critical. Dimensions: 12" W x 43 3/4" H x 12" D.

Model No.	Description	GPH Capacity	Wt. lbs.
OA063	Compact	3	66
OA064	Compact	5	69
OA548	Compact	10	73



OA063

AGAINST-A-WALL OR FREE-STANDING COOLERS

All plumbing connections are completely sealed within the cabinet, permitting flush-to-wall installation. Dimensions: 17" W x 43 3/4" H x 14" D.

Model No.	Description	GPH Capacity	Wt. lbs.
OC709	Standard	8	94
OA550	Standard	14	96



OC709

HEAVY-DUTY & LARGE CAPACITY COOLERS

Constructed of 18 gauge steel cabinet with 16 gauge steel base. Handsome yet rugged design allows for installation in any environment.

Model No.	Description	GPH Capacity	Dimensions				Wt. lbs.	
			W"	x	H"	x		D"
OC713	Whisper Quiet	7	15	x	43 3/4	x	15	73
OA056	Standard	13.5	15	x	43 3/4	x	15	81
OA539	Standard	16	17	x	40	x	14	105



OA056

TIME CLOCKS & WALL CLOCKS

TIME CLOCK

- Large, easy-to-read analog clock face
- LED display of year, month and date
- Automatic or manual printing
- Print window with light
- Automatically adjusts for Daylight Savings Time, short months, leap year and power outages
- Selectable for 4 digit imprint
- Built-in battery backup



SPECIFICATIONS:

Power Supply: 110/120 AC \pm 10% (50/60 Hz)
 Power Consumption: Normal 3W, Max. 12 W
 Ambient Temperature: 14°F - 113°F (-10°C - 45°C)
 Humidity: 10% - 90% (no condensation)
 Dimensions: 6 3/4" W x 6 1/4" D x 8" H
 150 x 172 x 165 (mm)
 Weight: 6 lbs. (2.7 kg)

*Available in 220/240 VAC on special order only.

Model No.	Description
HN140	English
HN163	French

TIME CLOCK ACCESSORIES

- Card rack is adjusted for standard 8 1/4" long cards
- Fits 25 standard time cards
- Rack is adjustable to accommodate cards of different widths



Model No.	Description
HA004	Card Rack
HA001	1,000 Time Cards, English
HA020	1,000 Time Cards, French
HN141	Replacement Ribbon for Time Clock

WALL CLOCKS

BATTERY OPERATED

- 12" diameter round office wall clock
- 12/24 hour
- Black chrome

Model No. HT072



ELECTRIC CLOCK

- 12" diameter round office wall clock
- 12/24 hour
- Black

Model No. HX019



TIME CLOCK

- Manual or automatic print
- Selectable imprints: year (4 digit), month, date and time or notation
- Selectable print format: year, month and date or Julian date; day or date; AM/PM or 0-23 hours; regular minutes or 100th of an hour
- Right or left side printing
- Desk or wall mount
- Fast, easy set-up of date, time, print format, etc.
- Easy-to-replace ribbon cartridge
- Easy-to-read LCD display
- Automatic adjustment for Daylight Saving Time
- Quartz clock accuracy
- Built-in lithium battery backup protects clock and program data in the event of power failure
- Fast, quiet dot matrix printing
- Selectable notations: RCV'D, SENT, FAX'D, VOID, PAID, CFM'D APR'D, CMPL'D, ORIGN, FILE



SPECIFICATIONS:

Power Supply: 120 AC \pm 10%, 60 Hz
 Power Consumption: Normal 3W, Max. 6W
 Ambient Temperature: 14°F-113°F (-10°C-45°C)
 Humidity: 10% - 90% (no condensation)
 Dimensions: 5.5" W x 6.5" D x 6" H
 150 x 140 x 165 (mm)
 Weight: 4.2 lbs. (1.8 kg)

Model No.	Description
HN164	English
HN165	French

MAGNIFIER, IFM SERIES

- Ideal medium-duty illuminated magnifier
- 5" diameter distortion-free lens in either 3-diopter (1.75X) or 5-diopter (2.25X) models
- Choice of 45" or 30" arm lengths
- Clamp or base mounts
- Fluorescent tube which provides shadow-free illumination
- Built-in starter, the switch does not have to be held down for several seconds to illuminate the tube
- 115 VAC
- Colour: Light grey
- All models include a lamp diffuser cover, 3-wire cord, a 22-watt fluorescent tube
- Certified for sale in Canada by an accredited certification body




Model No.	Arm Length"	Diopter	Mount type
XB947	45	3D	Edge
XC225	45	5D	Edge
XC226	30	3D	Edge
XC227	30	3D	Base
XC228	30	5D	Edge
XC229	30	5D	Base

KEY CONTROL SYSTEMS

DOUBLE KEY FILE/SECURITY SYSTEM

- Sturdy, welded steel with piano-hinged door and key panels
- Heavy-duty, 20-gauge steel body and 18-gauge steel door
- Mount cabinet on wall (mounting screws included) or use on table or shelf
- Cabinet includes a disc-tumbler lock with 2 keys
- Includes: red octagon key tags (OG894) and white oval key tags (OG895) same amount as key capacity, cross reference key guide, key loan record sheet, key receipt slip, brass key receipt holders and key collection envelopes
- The double key system insures proper security and avoids key loss
- **How it works:** the master key is fastened to the red tag and filed permanently on a labelled hook; duplicate keys are fastened to white tags on the same hook; each key is indexed in three ways: by hook number, alphabetically by what the key opens and numerically
- When a key leaves the system, a receipt tag is filled out and hung with the master key and all loans are recorded in the key loan record sheet

OG893



OG888

Model No.	Dimensions					Key Capacity	Wt. lbs.
	W"	x	D"	x	H"		
OG884	8	x	2 1/2	x	12 1/8	30	6
OG886	14	x	3 1/8	x	17 1/2	60	14
OG887	14	x	3 1/8	x	17 1/2	90	15
OG888	16 1/2	x	5	x	20 1/2	120	20
OG889	16 1/2	x	5	x	20 1/2	180	26
OG890	16 1/2	x	5	x	20 1/2	240	28
OG891	16 1/2	x	5	x	31 1/8	300	42
OG892	16 1/2	x	5	x	31 1/8	390	46
OG893	16 1/2	x	5	x	31 1/8	460	49

EXTRA KEY TAGS & ACCESSORIES

Model No.	Description
OG894	Key Tag, Red Octagon, Numbered, 20/Pack
OG895	Key Tag, White Oval, Numbered, 20/Pack
OG896	Key Collection Envelopes, 100/Pack
OG898	Brass Receipt Holders, 100/Pack
OG899	Key Loan Record Sheets, 24/Pack
OG897	Cross Reference Index Binder, 30 to 80 Keys
OG903	Cross Reference Index Binder, 90 to 240 Keys
OG904	Key Receipt Slips, 250/Pack

KEY STORAGE CABINETS

- A complete line of high quality key storage cabinets
- Organize and control your office, warehouse with wall mounted key cabinets
- Heavy gauge steel construction with piano hinged doors and key panels – provide a secure location for key storage
- Industrial 19-gauge body with 18-gauge door on all models except OJ922, it has a 20-gauge body and 19-gauge door
- Durable beige powder coated epoxy finish
- All models come with numbered slots and key tags

Master Lock.

Model No.	Description	Dimensions				
		W"	x	D"	x	H"
OJ922	30 Key Cabinet	8	x	2 1/2	x	12
OJ923	60 Key Cabinet	10 3/4	x	3	x	12 1/4
OJ924	120 Key Cabinet	13	x	3 1/4	x	17
OJ925	240 Key Cabinet	16 1/2	x	5	x	20
OJ927	500 Key Cabinet	18	x	5 1/2	x	25
OJ928	Key Tags – 20/Pack	-	-	-	-	-



OJ924

DESK DRAWER KEY TRAY

- Compact and portable, fits easily into most desk drawers and safes
- Convert your office desk drawer into a key control system
- Constructed of moulded plastic, making it light and durable
- Accommodates 56 keys – 8 panels with 7 hooks each
- Each hook includes two key tags, a self-locking tag for master keys and a standard snap hook key tag for duplicate keys
- Dimensions: 12" W x 9 7/8" D x 4 3/4" H
- Colour: Putty
- Weight: 5 lbs.


Model No. OG900



FILE DRAWER KEY RACK

- Ideal for secure out-of-the-way key control
- Sturdy, moulded plastic, 40-key rack that comes complete with numbered key tags
- Clamps on back allows for easy attachment to rear of standard office file drawers and deep desk drawers
- Dimensions: 12" W x 1 3/4" D x 10" H
- Includes: Numbered key tags, "out key" control tags and key control chart

Model No. OG901



20-KEY RACK

- Sturdy, lightweight, welded-steel key rack
- Mounts on walls and doors in offices or warehouses
- Dimensions: 13 3/4" W x 2 1/4" H
- Includes: Numbered key tags, "out key" control tags and mounting screws

Model No. OG902

